# SAFETY DATA SHEET.

Issuing date 10-Feb-2016

Revision Date 23-Feb-2016

Version 1.01

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

#### Product identifier Product name

LAB026 LUBE A BOOM CLEAR SIL

# Recommended use of the chemical and restrictions on use

Product code	F03295
<u>Product Type</u>	Extremely flammable aerosol
Synonyms	None
Supplier's details	
Recommended Use	
Uses advised against	No information available

Manufactured for LAB LLC

Emergency telephone number<br/>Chemical Emergency PhoneChemtrec 1-800-262-8200 ID 1195Number734-721-5930Company Emergency Phone<br/>NumberNumber

## 2. HAZARDS IDENTIFICATION

#### **Classification**

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2B
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable aerosols	Category 1
Gases under pressure	Compressed Gas

# GHS Label elements, including precautionary statements

## DANGER

Emergency Overview

Hazard Statements Causes skin irritation Causes eye irritation May cause respiratory irritation. May cause drowsiness or dizziness May be fatal if swallowed and enters airways Extremely flammable aerosol Contains gas under pressure; may explode if heated



Appearance opaque

Physical state Aerosol

Odor Solvent

## **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. — No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

#### **Precautionary Statements - Response**

Specific treatment (see first aid on this label) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse If skin irritation occurs: Get medical advice/attention IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting

## **Precautionary Statements - Storage**

Store locked up Store in a well-ventilated place. Keep container tightly closed Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

None

#### Other information

· Toxic to aquatic life with long lasting effects

0% of the mixture consists of ingredient(s) of unknown toxicity

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No	Weight %*
HYDROTREATED LIGHT DISTILLATES	64742-47-8	40-50
HEPTANE	64742-49-0	20-30
PROPANE/ISOBUTANE/N-BUTANE	68476-86-8	10-20
ACETONE	67-64-1	1-10

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.	
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.	
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Artificial respiration and/or oxygen may be necessary. If breathing has stopped, contact emergency medical services immediately.	
Ingestion	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink plenty of water. Call a physician or Poison Control Center immediately.	
Most important symptoms/effects,	acute and delayed	
Main Symptoms	Causes skin and eye irritation. May cause respiratory irritation. May be harmful if swallowed and cause lung damage.	
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Decomposition by contact with water may generate vapors which can be ignited by heat or open flame.

#### Specific hazards arising from the chemical

Explosion Data Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge none.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with eyes. Avoid breathing vapors or mists. Contents under pressure. Do not puncture or incinerate cans.Do not stick pin or any other sharp object into opening on top of can. Avoid skin contact. Use with adequate ventiliation. Keep container away from heat, flames, and all other sources of ignition. Keep can away from all sources of electricity such as electric motors and batteries. Do not spray on hot surfaces.	
Environmental precautions		
Environmental precautions	Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. Should not be released into the environment.	
Methods and materials for conta	ainment and cleaning up	
Methods for Containment	Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Pick up and transfer to properly labeled containers. Soak up with inert absorbent material. Clean contaminated surface thoroughly. After cleaning, flush away traces with water. Prevent product from entering drains. Take precautionary measures against static discharges.	
7. HANDLING AND STORAGE		

### Precautions for safe handling

Advice on safe handling	Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Do not breathe vapors or spray mist.			
Conditions for safe storage, includi	Conditions for safe storage, including any incompatibilities			
Technical measures/Storage conditions	Keep container tightly closed in a dry and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep in properly labeled containers. Keep out of the reach of children. Store locked up.			
Incompatible products	Strong acids, alkalis, or oxidizing agents.			
Aerosol Level	3			

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
HYDROTREATED LIGHT DISTILLATES 64742-47-8	TWA: 200 PPM 8 hours	-	-
HEPTANE 64742-49-0	TLV: 400 ppm STEL: 500 ppm	TWA: 500 ppm	-
PROPANE/ISOBUTANE/N-BUTANE 68476-86-8	74-98-6: TWA: 1000 ppm 106-97-8: STEL: 1000 ppm 75-28-5: STEL: 1000 ppm	74-98-6:TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m <sup>3</sup> 106-97-8: (vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	74-98-6:IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup> 106-97-8:TWA: 800 ppm TWA: 1900 mg/m <sup>3</sup> 75-28-5:TWA: 800 ppm TWA: 1900 mg/m <sup>3</sup>
ACETONE 67-64-1	STEL: 500 ppm TWA: 250 ppm	TWA: 1000 ppm TWA: 2400 mg/m <sup>3</sup> (vacated) TWA: 750 ppm (vacated) TWA: 1800 mg/m <sup>3</sup> (vacated) STEL: 2400 mg/m <sup>3</sup> The acetone STEL does not apply to the cellulose acetate fiber industry. It is in effect for all other sectors (vacated) STEL: 1000 ppm	IDLH: 2500 ppm TWA: 250 ppm TWA: 590 mg/m <sup>3</sup>

ACGIH: (American Conference of Governmental Industrial Hygienists) OSHA: (Occupational Safety & Health Administration) NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).	
Exposure controls		
Engineering Measures	Showers Eyewash stations Ventilation systems.	
Individual protection measures, su	ich as personal protective equipment	
Eye/Face Protection	Safety glasses with side-shields.	
Skin and body protection	Chemical resistant apron. Protective gloves.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.	
9. PHYSICAL AND CHEMICAL PROPERTIES		

## Physical and chemical properties

Physical state Appearance Color	Aerosol opaque hazy	Odor Odor Threshold	Solvent
<u>Property</u> pH Melting/freezing point Boiling point/boiling range	<u>Values</u> 0 No information available No information available	Remarks • Methods	

## F03295 - LAB026 LUBE A BOOM CLEAR SIL

Flash Point	-96.4 °C / -141 °F	Based on propellant
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limits in Air		
upper flammability limit	No information available	
lower flammability limit	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Specific Gravity		
Water solubility	Practically insoluble	
Partition coefficient: n-octanol/w	vater	
Autoignition temperature	No information available	
Decomposition temperature		
Viscosity	No information available	
Explosive properties		
Other information		
VOC Content(%)	45.28	
MIR Value	1.04	

## **10. STABILITY AND REACTIVITY**

### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### **Conditions to Avoid**

Extremes of temperature and direct sunlight.

#### **Incompatible Materials**

Strong acids, alkalis, or oxidizing agents.

#### **Hazardous Decomposition Products**

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

#### **Product Information**

Inhalation		Vapors may irritate throat and respiratory system. May cause drownsiness and dizziness based on components. May cause irritation of respiratory tract. Avoid breathing vapors or mists.		
Eye contact	Irritating to eyes.	Irritating to eyes.		
Skin contact	Causes skin irritation.	Causes skin irritation.		
Ingestion		May be harmful if swallowed. Aspiration into the lungs during swallowing may cause serious lung damage which may be fatal.		
Component Information				
Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation	
	LD50 Oral	LD50 Dermal	LC50 Inhalation	

## F03295 - LAB026 LUBE A BOOM CLEAR SIL

#### Revision Date 23-Feb-2016

HYDROTREATED LIGHT	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
DISTILLATES			
64742-47-8			
HEPTANE	> 5000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	= 73680 ppm (Rat) 4 h
64742-49-0			
ACETONE	= 5800 mg/kg (Rat)	-	= 50100 mg/m <sup>3</sup> (Rat) 8 h
67-64-1			

#### Information on toxicological effects

Symptoms

Causes irritation to the eyes. May cause skin and respriatory tract system irritation. May be harmful if swallowed.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ Cell Mutagenicity	None known. None known.
Carcinogenicity	There are no known carcinogenic chemicals in this product.
Reproductive toxicity	This product does not contain any known or suspected reproductive hazards.
Specific target organ systemic toxicity (single exposure)	May cause respiratory irritation. May cause drowsiness and dizziness.
Specific target organ systemic toxicity (repeated exposure)	None under normal use conditions.
Target Organ Effects	Central Nervous System (CNS), Eyes, Respiratory system, Skin.
Neurological effects	Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal.
Aspiration hazard	May be fatal if swallowed and enters airways.
Numerical measures of toxicity - P	roduct Information_
Unknown Acute Toxicity	0% of the mixture consists of ingredient(s) of unknown toxicity
The following values are calculated	based on chapter 3.1 of the GHS document
ATEmix (oral)	3587 mg/kg
ATEmix (dermal)	12455 mg/kg
ATEmix (inhalation-vapor)	98 mg/l

## **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
HYDROTREATED LIGHT DISTILLATES 64742-47-8	-	45 mg/L LC50 Pimephales promelas 96h flow-through 2.2 mg/L LC50 Lepomis macrochirus 96h static 2.4 mg/L LC50 Oncorhynchus mykiss 96h static	-	-
PROPANE/ISOBUTANE/N- BUTANE 68476-86-8	-	-	-	-
ACETONE 67-64-1	-	4.74 - 6.33 mL/L LC50 Oncorhynchus mykiss 96h 6210 - 8120 mg/L LC50 Pimephales promelas 96h static 8300 mg/L LC50 Lepomis macrochirus 96h	-	10294 - 17704 mg/L EC50 Daphnia magna 48h Static 12600 - 12700 mg/L EC50 Daphnia magna 48h

## Persistence and degradability

## **Bioaccumulation**

## F03295 - LAB026 LUBE A BOOM CLEAR SIL

Chemical Name	log Pow
PROPANE/ISOBUTANE/N-BUTANE 68476-86-8	<=2.8
ACETONE 67-64-1	-0.24

Other adverse effects

No information available

## **13. DISPOSAL CONSIDERATIONS**

Waste treatment

Waste Disposal MethodsThis material, as supplied, is a hazardous waste according to federal regulations (40 CFR<br/>261).

Contaminated packaging Do not re-use empty containers.

## **14. TRANSPORT INFORMATION**

DOT Ground	CONSUMER COMMODITY ORM-D
	or
	LIMITED QUANTITY

ΙΑΤΑ	UN1950, AEROSOLS, FLAMMABLE, 2.1, LTD. QTY.
IMDG	UN1950, AEROSOLS, FLAMMABLE, 2.1, LTD. QTY.

## **15. REGULATORY INFORMATION**

## International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
HYDROTREATED LIGHT DISTILLATES	Х	X	Х	Not listed	Х	Х	Х	Х
HEPTANE	Х	Х	Х	Not listed	Х	Х	Х	Х
PROPANE/ISOBUTA NE/N-BUTANE	Х	X	Х	Not listed	Х	Х	Х	Х
ACETONE	Х	X	Х	Х	Х	Х	Х	Х

#### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

CHINA - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## U.S. Federal Regulations

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	Yes
Reactive Hazard	no

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Ch	emical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
	ACETONE	5000 lb		RQ 5000 lb final RQ
	67-64-1			RQ 2270 kg final RQ
	Degulationa			

#### U.S. State Regulations

#### California Proposition 65

This product does not contain any known Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ACETONE	Х	Х	Х
67-64-1			

EPA Pesticide Registration Number Not applicable

#### <u>Canada</u>

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

16. OTHER INFORMATION						
<u>NFPA</u>	Health Hazard 2	Flammability 4	Instability 0	Physical and chemical hazards		
<u>HMIS</u>	Health Hazard 2	Flammability 4	Physical Hazard 1	Personal protection B		
Prepared By	Prepared By Manufacturer					

Issuing date Revision Date Revision Note **Disclaimer** 

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

#### **End of Safety Data Sheet**